

Test Report No.: 87.400.24.217.01-00.01

Rev.: 00

Dated: 2024-04-23



Applicant: NINGBO CARELINE ELECTRIC APPLIANCE CO., LTD

Address: No.888, WeiYi Road, Hangzhou Bay New Area, Ningbo, 315327 Zhejiang, China

Attn: Zheng Mingda

Sample Description: Air fryer

Model No.: AF-F4010

Sample Received Date: 2024-03-22, 2024-04-12, 2024-04-19, Ningbo, Shanghai

Test Period: From 2024-03-22 to 2024-04-23, Ningbo, Shanghai

Purpose of examination: Verification of RoHS (Restriction of Hazardous Substances) directive 2011/65/EU and its amendment (EU) 2015/863 on submitted samples

Test Results: Refer to following page(s)

Remark:

- The result relates only to the items tested.
- The reference model(s) was declared by client.
- The test sample(s) and item(s) was specified by client.

TüV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch
TüV SÜD Group

Prepared by:

Reviewed by:



Wu, Mandy
Project Manager

Cui , Lu
Project Engineer

Disclaimer Measurement Uncertainty: Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail. Any use for advertising purposes must be granted in writing. This test report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

#151, Hengtong Road, Shanghai 200070, P. R. China

Tel.: +86-21-6141-0123 Fax: +86-21-6140-8600

www.tuv-sud.cn info@tuv-sud.cn

Laboratory: TÜV SÜD Certification and Testing (China)
Co., Ltd. Shanghai Branch Testing Center

No. 1999 Du Hui Rd, Minhang District, Shanghai 201108
P.R. China

Tel.: +86-21-6037-6501








SUMMARY OF TEST RESULTS


No.	Test Requested	Conclusion	Remarks
1.	Heavy Metal (Pb, Cd, Hg and Cr VI) Content	PASS	
2.	Polybrominated Biphenyls (PBBs) and Polybrominated Diphenyl Ethers (PBDEs) Content	PASS	
3.	Phthalates (DEHP, BBP, DBP and DIBP) Content	PASS	







1. TESTED SUBJECT DESCRIPTION


T Number	Sample Number	Tested Material Description	Photo
T1	001	Plate plastic grey	
T2	002	Shell plastic black	
T3	003	Screw metal silvery	
T4	004	Screw metal silvery	



T Number	Sample Number	Tested Material Description	Photo
T5	005	Ring metal silvery	
T6	006	Nut metal silvery	
T7	007	Block metal silvery	
T8	008	Block plastic black	





T Number	Sample Number	Tested Material Description	Photo
T9	009	Block plastic transparent grey	
T10	010	Handle plastic black	
T11	011	Handle plastic black	
T12	012	Block plastic grey	





T Number	Sample Number	Tested Material Description	Photo
T13	013	Block metal silvery	
T14	014	Bar metal silvery	
T15	015	Spring metal silvery	
T16	016	Coating black	





T Number	Sample Number	Tested Material Description	Photo
T17	017	Matrix metal silvery	
T18	018	Block soft plastic black	
T19	019	Screw metal silvery	
T20	020	Block plastic black	



T Number	Sample Number	Tested Material Description	Photo
T21	021	Block metal silvery	
T22	022	Block soft plastic black	
T23	023	Block plastic black	
T24	024	Block plastic black	




T Number	Sample Number	Tested Material Description	Photo
T25	025	Screw metal silvery	
T26	026	Textile white	
T27	027	Loop plastic white	
T28	028	Block plastic white	





T Number	Sample Number	Tested Material Description	Photo
T29	029	Block metal silvery	
T30	030	Jacket soft plastic black	
T31	031	Jacket soft plastic blue	
T32	032	Jacket soft plastic brown	



T Number	Sample Number	Tested Material Description	Photo
T33	033	Jacket soft plastic yellow green	
T34	034	Core metal copper	
T35	035	Plug soft plastic black	
T36	036	Pin metal silvery	


T Number	Sample Number	Tested Material Description	Photo
T37	037	Bracket plastic white	
T38	038	Pin metal silvery	
T39	039	Block plastic black	
T40	040	Block plastic transparent grey	





T Number	Sample Number	Tested Material Description	Photo
T41	041	Sheet plastic transparent with black coating and adhesive	
T42	042	Block plastic black	
T43	043	Sheet plastic black with adhesive	
T44	044	Block plastic white	





T Number	Sample Number	Tested Material Description	Photo
T45	045	Core metal silvery	
T46	046	Resin translucent	
T47	047	Spring metal silvery	
T48	048	Bead plastic transparent	





T Number	Sample Number	Tested Material Description	Photo
T49	049	Component black	
T50	050	Component black	
T51	051	Component white	
T52	052	Component black	




T Number	Sample Number	Tested Material Description	Photo
T53	053	Component brown	
T54	054	Component black	
T55	055	Film plastic black	
T56	056	Shell metal silvery	





T Number	Sample Number	Tested Material Description	Photo
T57	057	Paper brown	
T58	058	Film metal silvery	
T59	059	Film metal grey	
T60	060	Mat soft plastic black	





T Number	Sample Number	Tested Material Description	Photo
T61	061	PCB green	
T62	062	Solder silvery	
T63	063	Glue white	
T64	064	Plastic white	





T Number	Sample Number	Tested Material Description	Photo
T65	065	Pin metal silvery	
T66	066	Block plastic black	
T67	067	Jacket soft plastic white with red printing	
T68	068	Block plastic purple	





T Number	Sample Number	Tested Material Description	Photo
T69	069	Pin metal silvery	
T70	070	Shell plastic black	
T71	071	Piece metal copper	
T72	072	Piece metal silvery	

T Number	Sample Number	Tested Material Description	Photo
T73	073	Contact point silvery	
T74	074	Block metal gold	
T75	075	Block metal copper	
T76	076	Block metal silvery	





T Number	Sample Number	Tested Material Description	Photo
T77	077	Block plastic black	
T78	078	Piece metal silvery	
T79	079	Wire metal copper	
T80	080	Shell plastic black	

T Number	Sample Number	Tested Material Description	Photo
T81	081	Block plastic black	
T82	082	Piece metal silvery	
T83	083	Piece metal silvery	
T84	084	Piece metal silvery	

T Number	Sample Number	Tested Material Description	Photo
T85	085	Bar metal silvery	
T86	086	Wire metal copper	
T87	087	Block plastic ,yellow	
T88	088	Resin yellow	

T Number	Sample Number	Tested Material Description	Photo
T89	089	Piece metal silvery	
T90	090	Tape plastic yellow	
T91	091	Block plastic black	
T92	092	Frame metal black	









T Number	Sample Number	Tested Material Description	Photo
T93	093	Core metal copper	
T94	094	Component grey	
T95	095	Component blue	
T96	096	Pin metal silvery	









T Number	Sample Number	Tested Material Description	Photo
T97	097	Component green	
T98	098	PCB green	
T99	099	Solder silvery	
T100	100	Component black	




T Number	Sample Number	Tested Material Description	Photo
T101	101	Component black	
T102	102	Component black	
T103	103	Component black	
T104	104	Component black	




T Number	Sample Number	Tested Material Description	Photo
T105	105	Component dark brown	
T106	106	Component brown	
T107	107	Screw metal silvery	
T108	108	Block plastic black	





T Number	Sample Number	Tested Material Description	Photo
T109	109	Block plastic red	
T110	110	Piece metal silvery	
T111	111	Contact point silvery	
T112	112	Piece metal copper	





T Number	Sample Number	Tested Material Description	Photo
T113	113	Piece metal copper	
T114	114	Piece metal gold	
T115	115	Block plastic black	
T116	116	Spring metal silvery	



T Number	Sample Number	Tested Material Description	Photo
T117	117	Screw metal silvery	
T118	118	Block plastic black	
T119	119	Spring metal silvery	
T120	120	Bar metal silvery	










T Number	Sample Number	Tested Material Description	Photo
T121	121	Screw metal silvery	 A photograph of a silver-colored screw lying on a blue textured surface. A red arrow points to the head of the screw. A ruler is visible at the bottom of the image, showing measurements from 410 to 500.
T122	122	Ring metal silvery	 A photograph of a silver-colored ring lying on a blue textured surface. A red arrow points to the ring. A ruler is visible at the bottom of the image, showing measurements from 410 to 500.
T123	123	Piece metal silvery	 A photograph of a small, rectangular silver-colored piece lying on a blue textured surface. A ruler is visible at the bottom of the image, showing measurements from 370 to 450.
T124	124	Block metal silvery	 A photograph of a silver-colored block with a central circular hole and two smaller holes on either side, lying on a blue textured surface. A ruler is visible at the bottom of the image, showing measurements from 370 to 450.





T Number	Sample Number	Tested Material Description	Photo
T125	125	Piece metal silvery	
T126	126	Textile white	
T127	127	Bead metal copper	
T128	128	Ring plastic black	





T Number	Sample Number	Tested Material Description	Photo
T129	129	Ring soft plastic black	
T130	130	Screw metal silvery	
T131	131	Component black	
T132	132	Textile white	




T Number	Sample Number	Tested Material Description	Photo
T133	133	Sheath soft plastic black	
T134	134	Textile white with adhesive	
T135	135	Block plastic white	
T136	136	Label plastic silvery	


T Number	Sample Number	Tested Material Description	Photo
T137	137	Block metal silvery	
T138	138	Core metal copper	
T139	139	Core metal copper	
T140	140	Textile blue	




T Number	Sample Number	Tested Material Description	Photo
T141	141	Sheath soft plastic transparent	
T142	142	Pin metal silvery	
T143	143	Sheath soft plastic white	
T144	144	Core metal silvery	





T Number	Sample Number	Tested Material Description	Photo
T145	145	Pin metal silvery	
T146	146	Screw metal silvery	
T147	147	Block metal silvery	
T148	148	Jacket soft plastic white	




T Number	Sample Number	Tested Material Description	Photo
T149	149	Block metal silvery	
T150	150	Piece metal silvery	
T151	151	Screw metal silvery	
T152	152	Block metal silvery	



T Number	Sample Number	Tested Material Description	Photo
T153	153	Piece metal silvery	
T154	154	Clip metal black	
T155	155	Bar metal silvery	
T156	156	Block metal silvery	

T Number	Sample Number	Tested Material Description	Photo
T157	157	Block metal silvery	
T158	158	Block plastic black	
T159	159	Block plastic black	
T160	160	Piece metal silvery	

T Number	Sample Number	Tested Material Description	Photo
T161	161	Block metal silvery	
T162	162	Textile red	
T163	163	Sheath soft plastic transparent	
T164	164	Sheath soft plastic white with textile	





T Number	Sample Number	Tested Material Description	Photo
T165	165	Component silvery	
T166	166	Sheath soft plastic black	
T167	167	Textile yellow green	
T168	168	Textile black	





T Number	Sample Number	Tested Material Description	Photo
T169	169	Pipe metal grey	
T170	170	Block metal silvery	
T171	171	Ceramic blue	
T172	172	Piece metal silvery	





T Number	Sample Number	Tested Material Description	Photo
T173	173	Powder white	
T174	174	Block plastic black	
T175	175	Screw metal silvery	
T176	176	Pipe soft plastic transparent	









T Number	Sample Number	Tested Material Description	Photo
T177	177	Sheet plastic white	
T178	178	Glass transparent	
T179	179	Block metal grey	
T180	180	Silicone red	

T Number	Sample Number	Tested Material Description	Photo
T181	181	Core metal silvery	
T182	182	Powder white	
T183	183	Block metal silvery	
T184	184	Bar metal silvery	





T Number	Sample Number	Tested Material Description	Photo
T185	185	Wire metal silvery	
T186	186	Block metal silvery	
T187	187	Block metal silvery	
T188	188	Block metal silvery	



T Number	Sample Number	Tested Material Description	Photo
T189	189	Block plastic black	
T190	190	Pin metal copper	
T191	191	Contact point silvery	
T192	192	Block metal gold	


T Number	Sample Number	Tested Material Description	Photo
T193	193	Piece metal silvery	
T194	194	Piece metal silvery	
T195	195	Bar metal silvery	
T196	196	Block metal silvery	




T Number	Sample Number	Tested Material Description	Photo
T197	197	Block metal silvery	
T198	198	Bar metal silvery	
T199	199	Block metal silvery	
T200	200	Block metal silvery	


T Number	Sample Number	Tested Material Description	Photo
T201	201	Block plastic purple	
T202	202	Screw metal silvery	
T203	203	Bar metal silvery	
T204	204	Wire metal silvery	


T Number	Sample Number	Tested Material Description	Photo
T205	205	Block metal black	
T206	206	Block metal silvery	
T207	207	Ceramic white	
T208	208	Block metal silvery	




T Number	Sample Number	Tested Material Description	Photo
T209	209	Piece metal silvery	
T210	210	Block metal gold	
T211	211	Piece plastic grey	
T212	212	Piece metal copper	




T Number	Sample Number	Tested Material Description	Photo
T213	213	Piece metal silvery	
T214	214	Block metal black	
T215	215	Screw metal silvery	
T216	216	Ceramic beige	

T Number	Sample Number	Tested Material Description	Photo
T217	217	Pin metal gold	
T218	218	Rivet metal silvery	
T219	219	Pin metal silvery	
T220	220	Piece metal silvery	



T Number	Sample Number	Tested Material Description	Photo
T221	221	Block plastic black	
T222	222	Block plastic white	
T223	223	Spring metal silvery	
T224	224	Block soft plastic black	

T Number	Sample Number	Tested Material Description	Photo
T225	225	Ring soft plastic black	
T226	226	Block plastic white	
T227	227	Block metal silvery	
T228	228	Spring metal silvery	

T Number	Sample Number	Tested Material Description	Photo
T229	229	Block metal silvery	
T230	230	Block plastic blue	
T231	231	Block plastic beige	
T232	232	Plate plastic black with printing	

T Number	Sample Number	Tested Material Description	Photo
T233	233	Sheath soft plastic with textile white	
T234	234	Magnet black	
T235	235	Ring soft plastic white	
T236	236	Shell plastic dark red	



T Number	Sample Number	Tested Material Description	Photo
T237	237	Handle plastic beige with silvery plating	
T238	238	Glass transparent	
T239	239	Pin metal silvery	

2. TEST RESULT(S)

2.1 Quantitative screening of Lead, Cadmium, Mercury, Chromium and Bromine

Test method: With reference to EN 62321-1:2013, EN IEC 62321-2:2021, EN 62321-3-1:2014 and EN 62321-8:2017. For Heavy Metals and Flame Retardants, analyzed by Energy Dispersive X-ray Fluorescence Spectrometer (XRF); for phthalates, analyzed by Gas Chromatography and Mass Spectrometer (GC-MS).

Sample No.	Heavy Metals and Flame Retardants					Phthalates			
	Cd	Pb	Cr	Hg	Br	DEHP	BBP	DBP	DIBP
001	BL	BL	BL	BL	BL	BL	BL	BL	BL
002	BL	BL	BL	BL	BL	BL	BL	BL	BL
003	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
004	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
005	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
006	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
007	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
008	BL	BL	BL	BL	BL	BL	BL	BL	BL
009	BL	BL	BL	BL	BL	BL	BL	BL	BL
010	BL	BL	BL	BL	BL	BL	BL	BL	BL
011	BL	BL	BL	BL	Inc. ^(a)	BL	BL	BL	BL
012	BL	BL	BL	BL	BL	BL	BL	BL	BL
013	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
014	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
015	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
016	BL	BL	BL	BL	BL	BL	BL	BL	BL
017	BL	BL	BL	BL	NA	NA	NA	NA	NA
018	BL	BL	BL	BL	BL	BL	BL	BL	BL
019	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
020	BL	BL	BL	BL	BL	BL	BL	BL	BL
021	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
022	BL	BL	BL	BL	BL	BL	BL	BL	BL
023	BL	BL	BL	BL	Inc. ^(a)	BL	BL	BL	BL
024	BL	BL	BL	BL	Inc. ^(a)	BL	BL	BL	BL
025	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
026	BL	BL	BL	BL	BL	BL	BL	BL	BL
027	BL	BL	BL	BL	BL	BL	BL	BL	BL



Sample No.	Heavy Metals and Flame Retardants					Phthalates			
	Cd	Pb	Cr	Hg	Br	DEHP	BBP	DBP	DIBP
028	BL	BL	BL	BL	Inc. ^(a)	BL	BL	BL	BL
029	BL	BL	BL	BL	NA	NA	NA	NA	NA
030	BL	BL	BL	BL	BL	BL	BL	BL	BL
031	BL	BL	BL	BL	BL	BL	BL	BL	BL
032	BL	BL	BL	BL	BL	BL	BL	BL	BL
033	BL	BL	BL	BL	BL	BL	BL	BL	BL
034	BL	BL	BL	BL	NA	NA	NA	NA	NA
035	BL	BL	BL	BL	BL	BL	BL	BL	BL
036	BL	BL	BL	BL	NA	NA	NA	NA	NA
037	BL	BL	BL	BL	Inc. ^(a)	BL	BL	BL	BL
038	BL	BL	BL	BL	NA	NA	NA	NA	NA
039	BL	BL	BL	BL	Inc. ^(a)	BL	BL	BL	BL
040	BL	BL	BL	BL	BL	BL	BL	BL	BL
041	BL	BL	BL	BL	BL	BL	BL	BL	BL
042	BL	BL	BL	BL	Inc. ^(a)	BL	BL	BL	BL
043	BL	BL	BL	BL	BL	BL	BL	BL	BL
044	BL	BL	BL	BL	BL	BL	BL	BL	BL
045	BL	BL	BL	BL	NA	NA	NA	NA	NA
046	BL	BL	BL	BL	Inc. ^(a)	BL	BL	BL	BL
047	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
048	BL	BL	BL	BL	BL	BL	BL	BL	BL
049	BL	BL	BL	BL	BL	BL	BL	BL	BL
050	BL	BL	BL	BL	BL	BL	BL	BL	BL
051	BL	BL	BL	BL	BL	BL	BL	BL	BL
052	BL	BL	BL	BL	BL	BL	BL	BL	BL
053	BL	BL	BL	BL	BL	BL	BL	BL	BL
054	BL	BL ^(b)	BL	BL	BL	BL	BL	BL	BL
055	BL	BL	BL	BL	BL	BL	BL	BL	BL
056	BL	BL	BL	BL	NA	NA	NA	NA	NA
057	BL	BL	BL	BL	BL	BL	BL	BL	BL
058	BL	BL	BL	BL	NA	NA	NA	NA	NA
059	BL	BL	BL	BL	NA	NA	NA	NA	NA



Sample No.	Heavy Metals and Flame Retardants					Phthalates			
	Cd	Pb	Cr	Hg	Br	DEHP	BBP	DBP	DIBP
060	BL	BL	BL	BL	BL	BL	BL	BL	BL
061	BL	BL	BL	BL	Inc. ^(a)	BL	BL	BL	BL
062	Inc. ^(a)	BL	BL	BL	NA	NA	NA	NA	NA
063	BL	BL	BL	BL	BL	BL	BL	BL	BL
064	BL	BL	BL	BL	BL	BL	BL	BL	BL
065	BL	BL	BL	BL	NA	NA	NA	NA	NA
066	BL	BL	BL	BL	BL	BL	BL	BL	BL
067	BL	BL	BL	BL	BL	BL	BL	BL	BL
068	BL	BL	BL	BL	BL	BL	BL	BL	BL
069	BL	BL	BL	BL	NA	NA	NA	NA	NA
070	BL	BL	BL	BL	Inc. ^(a)	BL	BL	BL	BL
071	BL	BL	BL	BL	NA	NA	NA	NA	NA
072	BL	BL	BL	BL	NA	NA	NA	NA	NA
073	BL	BL	BL	BL	NA	NA	NA	NA	NA
074	BL	BL	BL	BL	NA	NA	NA	NA	NA
075	BL	BL	BL	BL	NA	NA	NA	NA	NA
076	BL	BL	BL	BL	NA	NA	NA	NA	NA
077	BL	BL	BL	BL	Inc. ^(a)	BL	BL	BL	BL
078	BL	BL	BL	BL	NA	NA	NA	NA	NA
079	BL	BL	BL	BL	NA	NA	NA	NA	NA
080	BL	BL	BL	BL	BL	BL	BL	BL	BL
081	BL	BL	BL	BL	BL	BL	BL	BL	BL
082	BL	BL	BL	BL	NA	NA	NA	NA	NA
083	BL	BL	BL	BL	NA	NA	NA	NA	NA
084	BL	BL	BL	BL	NA	NA	NA	NA	NA
085	BL	BL	BL	BL	NA	NA	NA	NA	NA
086	BL	BL	BL	BL	NA	NA	NA	NA	NA
087	BL	BL	BL	BL	Inc. ^(a)	BL	BL	BL	BL
088	BL	BL	BL	BL	Inc. ^(a)	BL	BL	BL	BL
089	BL	BL	BL	BL	NA	NA	NA	NA	NA
090	BL	BL	BL	BL	BL	BL	BL	BL	BL
091	BL	BL	BL	BL	BL	BL	BL	BL	BL



Sample No.	Heavy Metals and Flame Retardants					Phthalates			
	Cd	Pb	Cr	Hg	Br	DEHP	BBP	DBP	DIBP
092	BL	BL	BL	BL	NA	NA	NA	NA	NA
093	BL	BL	BL	BL	NA	NA	NA	NA	NA
094	BL	BL	BL	BL	BL	BL	BL	BL	BL
095	BL	BL	BL	BL	BL	BL	BL	BL	BL
096	BL	BL	BL	BL	NA	NA	NA	NA	NA
097	BL	BL	BL	BL	BL	BL	BL	BL	BL
098	BL	BL	BL	BL	Inc. ^(a)	BL	BL	BL	BL
099	BL	BL	BL	BL	NA	NA	NA	NA	NA
100	BL	Inc. ^(a)	BL	BL	BL	BL	BL	BL	BL
101	BL	BL ^(b)	BL	BL	BL	BL	BL	BL	BL
102	BL	BL	BL	BL	BL	BL	BL	BL	BL
103	BL	BL	BL	BL	BL	BL	BL	BL	BL
104	BL	BL	BL	BL	BL	BL	BL	BL	BL
105	BL	BL	BL	BL	BL	BL	BL	BL	BL
106	BL	BL	BL	BL	BL	BL	BL	BL	BL
107	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
108	BL	BL	BL	BL	BL	BL	BL	BL	BL
109	BL	BL	BL	BL	BL	BL	BL	BL	BL
110	BL	BL	BL	BL	NA	NA	NA	NA	NA
111	BL	BL	BL	BL	NA	NA	NA	NA	NA
112	BL	BL	BL	BL	NA	NA	NA	NA	NA
113	BL	BL	BL	BL	NA	NA	NA	NA	NA
114	BL	BL	BL	BL	NA	NA	NA	NA	NA
115	BL	BL	BL	BL	BL	BL	BL	BL	BL
116	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
117	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
118	BL	BL	BL	BL	BL	BL	BL	BL	BL
119	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
120	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
121	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
122	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
123	BL	BL	BL	BL	NA	NA	NA	NA	NA



Sample No.	Heavy Metals and Flame Retardants					Phthalates			
	Cd	Pb	Cr	Hg	Br	DEHP	BBP	DBP	DIBP
124	BL	BL	BL	BL	NA	NA	NA	NA	NA
125	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
126	BL	BL	BL	BL	BL	BL	BL	BL	BL
127	BL	BL	BL	BL	NA	NA	NA	NA	NA
128	BL	BL	BL	BL	BL	BL	BL	BL	BL
129	BL	BL	BL	BL	BL	BL	BL	BL	BL
130	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
131	BL	BL	BL	BL	BL	BL	BL	BL	BL
132	BL	BL	BL	BL	BL	BL	BL	BL	BL
133	BL	BL	BL	BL	BL	BL	BL	BL	BL
134	BL	BL	BL	BL	BL	BL	BL	BL	BL
135	BL	BL	BL	BL	BL	BL	BL	BL	BL
136	BL	BL	BL	BL	BL	BL	BL	BL	BL
137	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
138	BL	BL	BL	BL	NA	NA	NA	NA	NA
139	BL	BL	BL	BL	NA	NA	NA	NA	NA
140	BL	BL	BL	BL	BL	BL	BL	BL	BL
141	BL	BL	BL	BL	BL	BL	BL	BL	BL
142	BL	BL	BL	BL	NA	NA	NA	NA	NA
143	BL	BL	BL	BL	BL	BL	BL	BL	BL
144	BL	BL	BL	BL	NA	NA	NA	NA	NA
145	Inc. ^(a)	BL	BL	BL	NA	NA	NA	NA	NA
146	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
147	BL	BL	BL	BL	NA	NA	NA	NA	NA
148	BL	BL	BL	BL	BL	BL	BL	BL	BL
149	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
150	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
151	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
152	BL	BL	BL	BL	NA	NA	NA	NA	NA
153	BL	BL	BL	BL	NA	NA	NA	NA	NA
154	BL	BL	BL	BL	NA	NA	NA	NA	NA
155	BL	BL	BL	BL	NA	NA	NA	NA	NA



Sample No.	Heavy Metals and Flame Retardants					Phthalates			
	Cd	Pb	Cr	Hg	Br	DEHP	BBP	DBP	DIBP
156	BL	BL	BL	BL	NA	NA	NA	NA	NA
157	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
158	BL	BL	BL	BL	BL	BL	BL	BL	BL
159	BL	BL	BL	BL	BL	BL	BL	BL	BL
160	BL	BL	BL	BL	NA	NA	NA	NA	NA
161	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
162	BL	BL	BL	BL	BL	BL	BL	BL	BL
163	BL	BL	BL	BL	BL	BL	BL	BL	BL
164	BL	BL	BL	BL	BL	BL	BL	BL	BL
165	BL	BL	BL	BL	BL	BL	BL	BL	BL
166	BL	BL	BL	BL	BL	BL	BL	BL	BL
167	BL	BL	BL	BL	BL	BL	BL	BL	BL
168	BL	BL	BL	BL	BL	BL	BL	BL	BL
169	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
170	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
171	BL	BL	BL	BL	NA	NA	NA	NA	NA
172	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
173	BL	BL	BL	BL	BL	BL	BL	BL	BL
174	BL	BL	BL	BL	Inc. ^(a)	BL	BL	BL	BL
175	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
176	BL	BL	BL	BL	BL	BL	BL	BL	BL
177	BL	BL	BL	BL	BL	BL	BL	BL	BL
178	BL	BL	BL	BL	NA	NA	NA	NA	NA
179	BL	BL	BL	BL	NA	NA	NA	NA	NA
180	BL	BL	BL	BL	BL	BL	BL	BL	BL
181	BL	BL	BL	BL	NA	NA	NA	NA	NA
182	BL	BL	BL	BL	BL	BL	BL	BL	BL
183	BL	BL	BL	BL	NA	NA	NA	NA	NA
184	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
185	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
186	BL	BL	BL	BL	NA	NA	NA	NA	NA
187	BL	BL	BL	BL	NA	NA	NA	NA	NA



Sample No.	Heavy Metals and Flame Retardants					Phthalates			
	Cd	Pb	Cr	Hg	Br	DEHP	BBP	DBP	DIBP
188	BL	BL	BL	BL	NA	NA	NA	NA	NA
189	BL	BL	BL	BL	BL	BL	BL	BL	BL
190	BL	BL	BL	BL	NA	NA	NA	NA	NA
191	BL	BL	BL	BL	NA	NA	NA	NA	NA
192	BL	BL	BL	BL	NA	NA	NA	NA	NA
193	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
194	BL	BL	BL	BL	NA	NA	NA	NA	NA
195	BL	BL	BL	BL	NA	NA	NA	NA	NA
196	BL	BL	BL	BL	NA	NA	NA	NA	NA
197	BL	BL	BL	BL	NA	NA	NA	NA	NA
198	BL	Inc. ^(a)	BL	BL	NA	NA	NA	NA	NA
199	BL	BL	BL	BL	NA	NA	NA	NA	NA
200	BL	BL	BL	BL	NA	NA	NA	NA	NA
201	BL	BL	BL	BL	Inc. ^(a)	BL	BL	BL	BL
202	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
203	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
204	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
205	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
206	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
207	BL	BL	BL	BL	NA	NA	NA	NA	NA
208	BL	BL	BL	BL	NA	NA	NA	NA	NA
209	BL	BL	BL	BL	NA	NA	NA	NA	NA
210	BL	BL	BL	BL	NA	NA	NA	NA	NA
211	BL	BL	BL	BL	Inc. ^(a)	BL	BL	BL	BL
212	BL	BL	BL	BL	NA	NA	NA	NA	NA
213	BL	BL	BL	BL	NA	NA	NA	NA	NA
214	BL	BL	BL	BL	NA	NA	NA	NA	NA
215	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
216	BL	BL	BL	BL	NA	NA	NA	NA	NA
217	BL	BL	BL	BL	NA	NA	NA	NA	NA
218	BL	BL	BL	BL	NA	NA	NA	NA	NA
219	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA



Sample No.	Heavy Metals and Flame Retardants					Phthalates			
	Cd	Pb	Cr	Hg	Br	DEHP	BBP	DBP	DIBP
220	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
221	BL	BL	BL	BL	BL	BL	BL	BL	BL
222	BL	BL	BL	BL	BL	BL	BL	BL	BL
223	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
224	BL	BL	BL	BL	BL	BL	BL	BL	BL
225	BL	BL	BL	BL	BL	BL	BL	BL	BL
226	BL	BL	BL	BL	BL	BL	BL	BL	BL
227	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
228	BL	BL	Inc. ^(a)	BL	NA	NA	NA	NA	NA
229	BL	BL	BL	BL	NA	NA	NA	NA	NA
230	BL	BL	BL	BL	BL	BL	BL	BL	BL
231	BL	BL	BL	BL	BL	BL	BL	BL	BL
232	BL	BL	BL	BL	BL	BL	BL	BL	BL
233	BL	BL	BL	BL	BL	BL	BL	BL	BL
234	BL	BL	BL	BL	NA	NA	NA	NA	NA
235	BL	BL	BL	BL	BL	BL	BL	BL	BL
236	BL	BL	BL	BL	BL	BL	BL	BL	BL
237	BL	BL	BL	BL	BL	BL	BL	BL	BL
238	BL	BL	BL	BL	NA	NA	NA	NA	NA
239	BL	Inc. ^(a)	BL	BL	NA	NA	NA	NA	NA

Note:

- "BL" denotes below limit
- "OL" denotes over limit
- "Inc." denotes inconclusive
- "NA" denotes not applicable
- "(a)" denotes further confirmation test was conducted, results are listed in 2.2, 2.3.
- "(b)" denotes the exempt item according to DIRECTIVE 2011/65/EU Annex III item 7(c)-I "Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound"

-XRF screening limits in mg/kg for regulated elements in various matrices

ELEMENT	POLYMER		
	BL	INCONCLUSIVE	OL
Cd	$X \leq (70-3\sigma)$	$(70-3\sigma) < X < (130+3\sigma)$	$X \geq (130+3\sigma)$
Pb	$X \leq (700-3\sigma)$	$(700-3\sigma) < X < (1300+3\sigma)$	$X \geq (1300+3\sigma)$
Hg	$X \leq (700-3\sigma)$	$(700-3\sigma) < X < (1300+3\sigma)$	$X \geq (1300+3\sigma)$
Br	$X \leq (300-3\sigma)$	$X > (300-3\sigma)$	NA
Cr	$X \leq (700-3\sigma)$	$X > (700-3\sigma)$	NA

ELEMENT	METAL		
	BL	INCONCLUSIVE	OL
Cd	$X \leq (70-3\sigma)$	$(70-3\sigma) < X < (130+3\sigma)$	$X \geq (130+3\sigma)$
Pb	$X \leq (700-3\sigma)$	$(700-3\sigma) < X < (1300+3\sigma)$	$X \geq (1300+3\sigma)$
Hg	$X \leq (700-3\sigma)$	$(700-3\sigma) < X < (1300+3\sigma)$	$X \geq (1300+3\sigma)$
Cr	$X \leq (700-3\sigma)$	$X > (700-3\sigma)$	NA

ELEMENT	COMPLEX MATERIAL		
	BL	INCONCLUSIVE	OL
Cd	$X \leq (50-3\sigma)$	$(50-3\sigma) < X < (150+3\sigma)$	$X \geq (150+3\sigma)$
Pb	$X \leq (500-3\sigma)$	$(500-3\sigma) < X < (1500+3\sigma)$	$X \geq (1500+3\sigma)$
Hg	$X \leq (500-3\sigma)$	$(500-3\sigma) < X < (1500+3\sigma)$	$X \geq (1500+3\sigma)$
Br	$X \leq (250-3\sigma)$	$X > (250-3\sigma)$	NA
Cr	$X \leq (500-3\sigma)$	$X > (500-3\sigma)$	NA

-Screening limits in mg/kg for regulated phthalates in various matrices

PHthalATES	BL	INCONCLUSIVE
DEHP	$X < 600$	$X \geq 600$
BBP	$X < 600$	$X \geq 600$
DBP	$X < 600$	$X \geq 600$
DIBP	$X < 600$	$X \geq 600$

2.2 HEAVY METAL CONTENT

Test method: With reference to EN 62321-4:2014 /A1:2017, EN 62321-5:2014, EN 62321-7-1:2015 and EN 62321-7-2:2017, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES) and Ultraviolet-visible spectrophotometer (UV-Vis).

[Reporting Limit: 2.0 mg/kg for Cadmium; 5.0 mg/kg or 0.10 µg/cm² for Hexavalent Chromium, 10.0 mg/kg for Lead and Mercury.]

Sample No.	Result(s)				
	Total Cadmium	Hexavalent Chromium	Hexavalent Chromium	Total Mercury	Total Lead
003	--	/	Negative	--	--
004	--	/	Negative	--	--
005	--	/	Negative	--	--
006	--	/	Negative	--	--
007	--	/	Negative	--	--
013	--	/	Negative	--	--
014	--	/	Negative	--	--
015	--	/	Negative	--	--
019	--	/	Negative	--	--
021	--	/	Negative	--	--
025	--	/	Negative	--	--
047	--	/	Negative	--	--
062	<2.0	--	--	--	--
100	--	--	--	--	20.6
107	--	/	Negative	--	--
116	--	/	Negative	--	--
117	--	/	Negative	--	--
119	--	/	Negative	--	--
120	--	/	Negative	--	--
121	--	/	Negative	--	--
122	--	/	Negative	--	--
125	--	/	Negative	--	--
130	--	/	Negative	--	--
137	--	/	Negative	--	--



145	<2.0	--	--	--	--
146	--	/	Negative	--	--
149	--	/	Negative	--	--
150	--	/	Negative	--	--
151	--	/	Negative	--	--
157	--	/	Negative	--	--
161	--	/	Negative	--	--
169	--	/	Negative	--	--
170	--	/	Negative	--	--
172	--	/	Negative	--	--
175	--	/	Negative	--	--
184	--	/	Negative	--	--
185	--	/	Negative	--	--
193	--	/	Negative	--	--
198	--	--	--	--	2574.4 ^(c)
202	--	/	Negative	--	--
203	--	/	Negative	--	--
204	--	/	Negative	--	--
205	--	/	Negative	--	--
206	--	/	Negative	--	--
215	--	/	Negative	--	--
219	--	/	Negative	--	--
220	--	/	Negative	--	--
223	--	/	Negative	--	--
227	--	/	Negative	--	--
228	--	/	Negative	--	--
239	--	--	--	--	24043.0 ^(c)
Unit	mg/kg	mg/kg	µg/cm ²	mg/kg	mg/kg
RoHS Requirement	100	1000	Negative [#]	1000	1000

Note:

- "mg/kg" denotes milligram per kilogram
- "µg/cm²" denotes micrograms per square centimeter
- "<" denotes less than
- "Positive" denotes the absorbance value of sample is > 0.13 µg/cm², the sample is

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

#151, Hengtong Road, Shanghai 200070, P. R. China

Tel.: +86-21-6141-0123 Fax: +86-21-6140-8600

www.tuv-sud.cn info@tuv-sud.cn

Laboratory: TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch Testing Center

No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China

Tel.: +86-21-6037-6501



considered to be positive for Hexavalent Chromium.

- "Inconclusive" denotes the absorbance value of sample is $\geq 0.10 \mu\text{g}/\text{cm}^2$ and $\leq 0.13 \mu\text{g}/\text{cm}^2$, the sample is considered to be Inconclusive for Hexavalent Chromium.
- "Negative" denotes the absorbance value of sample is $< 0.10 \mu\text{g}/\text{cm}^2$, the sample is considered to be negative for Hexavalent Chromium.
- "##" According to DIRECTIVE 2011/65/EU Article 4(1) and Annex II. While, positive means the presence of CrVI on tested areas and the result(s) was (were) regarded as in conflict with European Parliament and Council Directive 2011/65/EU, Article 4(1) and Annex II.
- "--" denotes tested by XRF, result is listed in 2.1
- "(c)" denotes the exempt item according to Directive 2011/65/EU Annex III item 6(c) "Copper alloy containing up to 4 % lead by weight".



2.3 POLYBROMINATED BIPHENYLS (PBBs) AND POLYBROMINATED DIPHENYL ETHERS (PBDEs) CONTENT

Test Method: With reference to EN 62321-6:2015, extracted by toluene and analyzed by Gas Chromatography and Mass Spectrometer (GC-MS). [Reporting Limit : 5 mg/kg]

Test Item		Result(s) [mg/kg]		RoHS Requirement [mg/kg]
		Sample 011+023+024	Sample 028+037+039	
PBBs	Monobromobiphenyl	<5	<5	-
	Dibromobiphenyl	<5	<5	-
	Tribromobiphenyl	<5	<5	-
	Tetrabromobiphenyl	<5	<5	-
	Pentabromobiphenyl	<5	<5	-
	Hexabromobiphenyl	<5	<5	-
	Heptabromobiphenyl	<5	<5	-
	Octabromobiphenyl	<5	<5	-
	Nonabromobiphenyl	<5	<5	-
	Decabromobiphenyl	<5	<5	-
	Sum of detected PBBs	<50	<50	1000
PBDEs	Monobromodiphenyl ether	<5	<5	-
	Dibromodiphenyl ether	<5	<5	-
	Tribromodiphenyl ether	<5	<5	-
	Tetrabromodiphenyl ether	<5	<5	-
	Pentabromodiphenyl ether	<5	<5	-
	Hexabromodiphenyl ether	<5	<5	-
	Heptabromodiphenyl ether	<5	<5	-
	Octabromodiphenyl ether	<5	<5	-
	Nonabromodiphenyl ether	<5	<5	-
	Decabromodiphenyl ether	<5	<5	-
	Sum of detected PBDEs	<50	<50	1000

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than

2.3 POLYBROMINATED BIPHENYLS (PBBs) AND POLYBROMINATED DIPHENYL ETHERS (PBDEs) CONTENT

Test Method: With reference to EN 62321-6:2015, extracted by toluene and analyzed by Gas Chromatography and Mass Spectrometer (GC-MS). [Reporting Limit : 5 mg/kg]

Test Item		Result(s) [mg/kg]		RoHS Requirement [mg/kg]
		Sample 042+046+061	Sample 070+087+088	
PBBs	Monobromobiphenyl	<5	<5	-
	Dibromobiphenyl	<5	<5	-
	Tribromobiphenyl	<5	<5	-
	Tetrabromobiphenyl	<5	<5	-
	Pentabromobiphenyl	<5	<5	-
	Hexabromobiphenyl	<5	<5	-
	Heptabromobiphenyl	<5	<5	-
	Octabromobiphenyl	<5	<5	-
	Nonabromobiphenyl	<5	<5	-
	Decabromobiphenyl	<5	<5	-
	Sum of detected PBBs	<50	<50	1000
PBDEs	Monobromodiphenyl ether	<5	<5	-
	Dibromodiphenyl ether	<5	<5	-
	Tribromodiphenyl ether	<5	<5	-
	Tetrabromodiphenyl ether	<5	<5	-
	Pentabromodiphenyl ether	<5	<5	-
	Hexabromodiphenyl ether	<5	<5	-
	Heptabromodiphenyl ether	<5	<5	-
	Octabromodiphenyl ether	<5	<5	-
	Nonabromodiphenyl ether	<5	<5	-
	Decabromodiphenyl ether	<5	<5	-
	Sum of detected PBDEs	<50	<50	1000

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than

2.3 POLYBROMINATED BIPHENYLS (PBBs) AND POLYBROMINATED DIPHENYL ETHERS (PBDEs) CONTENT

Test Method: With reference to EN 62321-6:2015, extracted by toluene and analyzed by Gas Chromatography and Mass Spectrometer (GC-MS). [Reporting Limit : 5 mg/kg]

Test Item		Result(s) [mg/kg]		RoHS Requirement [mg/kg]
		Sample 077+098	Sample 174+201+211	
PBBs	Monobromobiphenyl	<5	<5	-
	Dibromobiphenyl	<5	<5	-
	Tribromobiphenyl	<5	<5	-
	Tetrabromobiphenyl	<5	<5	-
	Pentabromobiphenyl	<5	<5	-
	Hexabromobiphenyl	<5	<5	-
	Heptabromobiphenyl	<5	<5	-
	Octabromobiphenyl	<5	<5	-
	Nonabromobiphenyl	<5	<5	-
	Decabromobiphenyl	<5	<5	-
	Sum of detected PBBs	<50	<50	1000
PBDEs	Monobromodiphenyl ether	<5	<5	-
	Dibromodiphenyl ether	<5	<5	-
	Tribromodiphenyl ether	<5	<5	-
	Tetrabromodiphenyl ether	<5	<5	-
	Pentabromodiphenyl ether	<5	<5	-
	Hexabromodiphenyl ether	<5	<5	-
	Heptabromodiphenyl ether	<5	<5	-
	Octabromodiphenyl ether	<5	<5	-
	Nonabromodiphenyl ether	<5	<5	-
	Decabromodiphenyl ether	<5	<5	-
	Sum of detected PBDEs	<50	<50	1000

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than



APPENDIX I:
Photos of submitted products

	
Air fryer AF-F4010	





APPENDIX II: Additional Style.

The client declared that the tested materials were also used in the following styles .

ST-001,ST-002,ST-003,ST-005,ST-006,ST-006-W,ST-006-L,ST-006-LA,ST-006S-W,ST-006S,ST-006LCD,ST-007,ST-008,ST-009,ST-010,ST-101,ST-101R,ST-102,ST-102R,ST-103,ST-105,ST-106,ST-107,ST-108,ST-109,ST-110,ST-450,ST-450-W,ST-451,ST-452,ST-E453,CM-001,CM-002,CM-002S,CM-003,CM-005,CM-006,CM-007,CM-008,CM-009,CM-202S,CM-208,CM-208C,CM-211,RA-001,RA-002S,RA-003,RA-003S,RA-003S-W,RA-006,RA-007,RA-007-D,RA-008,RA-008C,RA-011,RA-011W,RA-015,RA-015W,RA-016,RA-018,RA-018S,RA-018W,RA-200,RA-200S,RA-200S-W,RA-201,RA-EB601-A,DUAF-005,DUAF-05,DUAF-08,DUAF-09,DUAF-10,DUAF-10-LA,DUAF-11,DUAF-11-W,DUAF-12,LF-20,LF-50,LF-60,MAF01,MAF02,MAF03,MAF04,AF06,TV-801,TV-805,HF-B35K,HF-B35K-TS,GA-550,GA-550D,CAFO-B1210TG,CAFO-B1210TW,HD9285,HF-112TS-SS,HF-155,HF-155C,HF-155TS,HF-155TS-A,HF-155TS-C,HF-155TS-D,HF-155TS-P,HF-156,HF-156TS,HF-158TS,HF-159,HF-159TS-C,HF-159TS,HF-159-E,HF-181,HF-181TS,HF-186,HF-186TS,HF-188,HF-188TS,HF-191TS,HF-191LCD,HF-192TD-SX,HF-192TS-SS,HF-195,HF-195TS-C,HF-195TS-D,HF-195TS-E,HF-196,HF-196TS,HF-196TS-S,HF-196LCD7-S,HF-196DT,HF-196TS-Z,HF-197,HF-197LCD,HF-197TS,HF-198TS,HF-198,HF-198TS-D,HF-198LCD,HF-198DT,HF-199TS,HF-199DT,HF-199LCD-WM,HF-199LCD7,HF-1055,HF-1055T-C,HF-1055TS-C,HF-1055C,HF-1055-E,HF-1055C-E,HF-1056,HF-1059,HF-1081TS,HF-1086,HF-1086TS,HF-1088,HF-1088TS,HF-1095,HF-1095TS-C,HF-1095TS-D,HF-1095TS-E,HF-1096,HF-1096TS,HF-1096LCD,HF-1096LCD-P,HF-1096DT-P,HF-1097,HF-1099,HF-1099TS,HF-1100,HF-1101-C,HF-1101,HF-1103,HF-2008,HF-2008TS,HF-2008TS-C,HF-2018C,HF-2018D,HF-2020,HF-2055,HF-2055TS,HF-2058,HF-2059T-M,HF-2068LCD,HF-2068,HF-2068TS,HF-2078,HF-2078TS,HF-2096TS,HF-2096DT-P,HF-2098,HF-2098TS,HF-2099,HF-2102,HF-2102TS,HF-2200,HF-2200-C,HF-2201,HF-2201T,HF-2201T-C,HF-2208DT-W,HF-2208T,HF-2208DW,HF-3008TS-L,HF-3018,HF-3018TS-D,HF-3018TS,HF-3019TS,HF-3019DT,HF-3019DTW,HF-3028D,HF-3028TS,HF-3058,HF-3058TS,HF-3058TS-D,HF-3058D,HF-3058T,HF-6031-3058DT,HF-3059DT-M,HF-3078X,HF-3078TSX,HF-3078TS,HF-3078,HF-3078SS,HF-3078SSX,HF-3078TS-SS,HF-3078TS-SSX,HF-3086D,HF-3086TS-D,HF-3086TS,HF-509TS-H,HF-509DT,HF-509H,HF-509LCD-H,HF-509TS-Z,HF-509TS,HF-509S,HF-515,HF-518D,HF-518H,HF-518,HF-519,HF-519TS,HF-528D,HF-528H,HF-528LCD,HF-528,HF-528LCD-H,HF-555D-F,HF-555,HF-555T-B,HF-555C,HF-555DT-E,HF-555LCD,HF-555TS,HF-555DT-F,HF-558D,HF-558LCD-H,HF-558H,HF-558,HF-568D,HF-568,HF-568LCD,HF-568TS-D,HF-568LCD-S,HF-568TS,HF-568LCD-D,HF-588TS-C,HF-588TS-D,HF-588LCD,HF-591LCD,HF-591TS,HF-591,HF-598D,HF-598H,HF-598TS,HF-598LCD-H,HF-598,HF-599D,HF-599H,HF-599,HF-599LCD-H,HF-5008GY,HF-5008D-GY,HF-5009,HF-5009S,HF-5009C,HF-5009H,HF-5009C-H,HF-5018GY,HF-5018D-GY,HF-5018TS,HF-5018LCD,HF-5055,HF-5055C,HF-5058,HF-5060T,HF-5096TS,HF-5096LCD,HF-5096DT-P,HF-5098TS,HF-5098H,HF-5098LCD,HF-5098,HF-5101TS,HF-5101TS-D,HF-5101,HF-5101D,HF-5101D-X,HF-5101X,HF-5102TS,HF-5102,HF-5102D,HF-5103D,HF-5105D,HF-5105TS-D,HF-5106TS,HF-5106D,HF-5106DT-W,HF-5106DTW,HF-5106TS-D,HF-5106,HF-6601T,HF-6602T,HF-802GY,HF-858B,HF-886W,HF-886W-M,HF-888,HF-888B,HF-888LCD,HF-898,HF-898B,HF-8008D-GY,HF-8018TS,HF-8018TS-C,HF-8018D-TS-G,HF-8018GY,HF-8018D-GY,HF-8018LCD-G,HF-8018LCD-C-G,HF-8018LCD-C,HF-8018TS-G,HF-8028D-GY,HF-8055,HF-8055TS-C,HF-8055D,HF-8055TS,HF-8055D-B,HF-8055B,HF-8055-B,HF-8055TSD-B,HF-8055TS-B,HF-8056,HF-8058LCD7,HF-8058LCD-G,HF-8058D-LCD-G,HF-8060T,HF-8060DT,HF-8060DT-L,HF-8060T-L,HF-8068LCD-G,HF-8096LCD,HF-8096DT-P,HF-8096LCD-P,HF-8096TS,HF-8200D,HF-8200,HF-8210,HF-8220,HF-8230,HF-8250,HF-8250DT,HF-8250T,HF-8250D,HF-8251DT,HF-8251T,HF-8251D,HF-8251,HF-8260DT,HF-8260D,HF-8320D,HF-8320,HF-8350DTW,HF-8350T,HF-8350,HF-8350DT,HF-8350D,HF-8360T-S,HF-8800DS,HF-8800T-SC,HF-8800DS-L,HF-8800T-SC,HF-8800TS,HF-8800,HF-8800S,HF-8800T-SB,HF-8800TS-S,HF-8800TSD-S,HF-8800D,HF-8800TSD-SWB,HF-8800TS-SB,HF-8800TS-SC,HF-8801,HF-8801TS-S,HF-8801T-B,HF-8801TS,HF-8801TSD-S,HF-8801DT-B,HF-8801TD-B,HF-8801S,HF-8801D,HF-8801DS,HF-8805-S,HF-8805D,HF-8805DTSC-L,HF-8805,HF-8805S,HF-8805DS,HF-8805TSD-S,HF-8805TS-C,HF-8805D-S,HF-8805TS,HF-8805TSD,HF-8805TSD-C,HF-8805TSD-C-S,HF-8805TS-C-S,HF-8805TS-C-S-W,HF-8805TS-S,HF-8805T-S-C-S-W,HF-8808TS,HF-8810DTS,HF-8810TS,HF-8811T-A,HF-8811TS,HF-8815DT,HF-8815T,HF-8816TS,HF-8816DT,HF-8816TS-SS,HF-8816TS-SS-W,HF-8816DTS-SS,HF-8816DT-S,HF-8816DTS,HF-8819T-S,HF-8819DTS-SS-W,HF-8819DT-L,HF-8819TS-SS,HF-8819TS-SS-W,HF-8819DTS-SS,HF-8819DTS-M,HF-8820TS-SS,HF-8820,HF-8820DT-M,HF-8820TSD-SS,HF-8826DT,HF-8829TS-M-W,HF-8829DTS-W,HF-8829TS-W,HF-8830,HF-8830D,HF-8830DT,HF-8830T,HF-8831T,HF-8831T-W,HF-8831DT,HF-8831TS,HF-8832,HF-8832D,HF-8832T,HF-8832DT,HF-8832DT-P,HF-8833DT,HF-8833DT-W,HF-8835T-W,HF-8836DT-W,HF-8836DT,HF-8836DTW-W,HF-8850DT,HF-8850DT-C,HF-8850T,HF-8850T-M,HF-8850TS,HF-8850DT-M,HF-8850,HF-8850D,HF-8850DTW,HF-8850TW,HF-8851DT,HF-8851TW,HF-8851DTW,HF-8851DTW-C,HF-8851T,HF-8852DTW,HF-8890D-S,HF-8890D,HF-8890DT-S,HF-8890DT,HF-8890DT-A,HF-8891DT-S,HF-8898,HF-8900T-S,HF-8900DT-S,HF-8910T,HF-8919,HF-8919DTS,HF-8919LCD,HF-8919TS,HF-8920,HF-8920T,HF-8920D,HF-8920DT,HF-8920DT-W,HF-8920T-W,HF-8929TS,HF-8951T,HF-8951DT,HF-8951DT-A,HF-8951T-A,HF-8959TS,HF-8959,HF-8959D,HF-8959DT,HF-8988LCD-C,HF-919TS-C,HF-919TS,HF-919LCD,HF-919TS-B,HF-929TS-B,HF-929LCD7-Z,HF-929,HF-929H,HF-929LCD7-S,HF-929TS,HF-929TS-C,HF-959B,HF-959TS-Z,HF-959LCD6,HF-988TS-C,HF-988LCD-C,HF-988LCD,HF-988LCD-B,HF-988,HF-988B,HF-989B,HF-995,HF-998LCD-C,HF-998B,HF-9001,HF-9001TS,HF-9001DTS,HF-9001D,HF-9002TS-D,HF-9002DTS,HF-9002TS,HF-F8360T-S,HF-F159TS-C,HF-FE8360,HF-FE8362,HF-FE8362-A,HF-FM8362,HF-FM8362-A,WA-501,WA-501-P,WA-501-W,AC-E4901,AF-125927,AF-200DT,AF-350,AF-350D,AF-350DW,AF-

#151, Hengtong Road, Shanghai 200070, P. R. China

Tel.: +86-21-6141-0123 Fax: +86-21-6140-8600

www.tuv-sud.cn info@tuv-sud.cn

Laboratory: TüV Süd Certification and Testing (China) Co., Ltd. Shanghai Branch Testing Center

No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China

Tel.: +86-21-6037-6501

Test Report No.: 87.400.24.217.01-00.01

Rev.: 00

Dated: 2024-04-23



351,AF-351D,AF-351DW,AF-351-H,AF-351-A,AF-351M,AF-351M-S,AF-352,AF-352-A,AF-352D,AF-352W,AF-353M-S,AF-400DT,AF-600DT,AF-3002,AF-800DT,AF-8350DTW,AF-E2001,AF-E4001,AF-E4001-WA,AF-E4001-A,AF-E4001-W,AF-E4002,AF-E4002-A,AF-E4002-W,AF-E4002-WA,AF-E4003-A,AF-E4003-AS,AF-E4003,AF-E4003-WA,AF-E4003-W,AF-E4005,AF-E4005-A,AF-E4006,AF-E4006-A,AF-FE4013-A,AF-E4016,AF-E4016-A,AF-E4017-A,AF-ZE4018-A,AF-E4801,AF-E4801-T,AF-F5010,AF-N5010,AF-5501-A,AF-YE5502-A,AF-YE5503-A,AF-YF5503-A,AF-YE5506-A,AF-YE5507-A,AF-YE5508-A,AF-E6001-WA,AF-E6001-LA,AF-E6001-A,AF-E6001,AF-E6001-L,AF-E6001-W,AF-E6001-C,AF-E6002,AF-E6002-A,AF-E6002-WA,AF-E6002-W,AF-E6003-A,AF-E6003-AS,AF-E6003-WA,AF-E6003-WAS,AF-E6003-W,AF-E6003,AF-E6007,AF-E6007-A,AF-E6007ACC,AF-E6007-W,AF-E6007-WA,AF-E6027-A,AF-ZE7127,AF-ZE7226,AF-ZE7226-A,AF-E8001-WA,AF-E8001-A,AF-E8001,AF-E8001-L,AF-E8001-C,AF-E8001-W,AF-E8002,AF-E8002-A,AF-E8002-W,AF-E8002-WA,AF-ZE8002-IA,AF-E8003-WA,AF-E8003-WAS,AF-E8003-W,AF-E8003-A,AF-E8003-AS,AF-E8003,AF-E8007,AF-E8007-W,AF-ZE3223,AF-ZE3223-A,AF-ZE3225,AF-ZE4007,AF-ZE4007-A,AF-ZE4018,AF-ZE5223,AF-ZE5223-IA,AF-ZE5223-T,AF-ZE5223-A,AF-ZE5223-WA,AF-ZE5231,AF-ZE5228,AF-ZE5229,AF-ZE5232,AF-ZE6002-ZA,AF-ZE6011,AF-ZE6011-A,AF-ZE6013-A,AF-ZE6018,AF-ZE6018-A,AF-ZE6022,AF-ZE6022-A,AF-ZE6030-WA,AF-ZE6031,AF-ZE6302,AF-ZE6318,AF-ZE7223,AF-ZE7223-A,AF-ZE8007-A,AF-ZE8007-WA,AF-ZE8007-WAZ,AF-E8007-W,AF-E8007-WA,AF-ZE8018,AF-ZE8018-A,AF-ZE8019-A,AF-JE4028,AF-JF6008,AF-JM4017,AF-JN6017,AF-JN8017,AF-M3001,AF-M3002,AF-M4005,AF-M4005-A,AF-M4006,AF-M4006-A,AF-M4008,AF-M4008-A,AF-M4010,AF-M4015,AF-M4016,AF-M4016-A,AF-N4010,AF-F4010,AF-M4026-A,AF-FE4030,AF-E4030-A,AF-E4031,AF-E4031-A,AF-E4032,AF-E4032-A,AF-F7010,AF-FM3002-A,AF-FM4012,AF-FE4012,AF-FE4013,AF-FM4013,AF-FM4013-A,AF-ZM4201-G,AF-ZM4202,AF-ZM5223,AF-FEC201-A,OS-YF2102,OS-YE4101,FY-3005-W,FY-3005-M,SV-01-W,SV-02-W,T20,AF0350P,T20SE,VXAF0501-EW,86AA2327_01,YB-ZE5223-A,AF-ZE5229,HF-2008D-S,AF-ZF7127,HF-8837DT-W,RA-202S,RA-FEC201-A,AF-ZE5230,HF-8852DT,AF-ZE6302-A,AF-ZE5233-A,AF-ZE4027-A,AF-YE5505-A,AF-YE5510-A,AF-ZE7223-T,ST-006-A,CE01,CT03,CT01,AF-ZE7226-TA、AF-FE7130-T、AF-YE5511-A、DUAF-18、AF-ZM5223-A、DUAF-17、AF-ZE5242-T、AF-ZE5223-TA、AF-ZE6318-A、DUAF-13-A、AF-ZE7238-ZA、

AF-ZF7237、AF-FE6509-A、AF-ZE4033-A、AF-ZM4033-A、AF-ZF7237-W、AF-ZM5248-A

AF-ZM5248、AF-ZE8007-ZA、AF-ZE8007-Z、AF-ZE5143、AF-ZE5244、AF-ZE7245、HY-831T-A、AF-ZM5249-A、HY-832T、AF-ZE8318、AF-FE7130-ZT、HY-832T-Z、HY-832T-ZA、AF-ZE5250-WA、AF-FE8362-A

Remark :

1. The report covers material testing on specified samples
2. The tested materials covered by the report were declared by the manufacturer to be used on the models listed in the APPENDIX of the report.

-----End of Report-----

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

#151, Hengtong Road, Shanghai 200070, P. R. China

Tel.: +86-21-6141-0123 Fax: +86-21-6140-8600

www.tuv-sud.cn info@tuv-sud.cn

Laboratory: TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch Testing Center

No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China

Tel.: +86-21-6037-6501

Page 80 of 80

1. General Information and Definitions

- (1.1) In the event that an order for any services is placed, the Client shall accept the General Terms and Conditions. The General Terms and Conditions shall be applicable to all orders, resulting contracts and other arrangements, including all offers made or services provided by the Company or any of its affiliated companies. They are not applicable if and as far as they are in conflict with the regulations on services performed on behalf of governments, government bodies or any other public entity, or they are in conflict with mandatory provisions of local law. The Client's placement of orders as well as the conclusion of contracts with the Company shall be regarded as awareness and acceptance of these General Terms and Conditions.
- (1.2) The Company strongly recommends any Client or potential Client to read the full text of these General Terms and Conditions prior to placement of any order to or conclusion of any contract with the Company. Ancillary agreements, promises and other statements made on the part of the Company staff or the experts called upon by them shall be binding only if they are expressly confirmed by the Company in writing. This shall also apply to any modifications of this clause.

2. Provision of Services

- (2.1) With due care and skill, the Company will provide services according to Client's specific instructions as made available by the Client. In the absence of Client's specific instructions, the following is deemed as instructions given to the Company:
- The terms of any standard specification sheet or standard order form provided by the Company; and/or
 - Any relevant usage, practice or trade custom; and/or
 - Such methods the Company considers technically, operationally and/or on financial grounds appropriate.
- (2.2) No other party is entitled to give any instructions particularly on the scope and type of the services or the reports delivered, or on the resulting certificates (the "Reports of Findings"), unless the Company receives prior written instructions to the contrary from the Client. The Client hereby irrevocably authorizes the Company to deliver Reports of Findings to a third party where so instructed by the Client or, at the Company's discretion, where it implicitly follows from circumstances, trade custom, usage or practice.
- (2.3) The Information stated in the Report of Findings is derived from the results of inspection or testing procedures carried out in accordance with the instructions and/or Company's assessment of such results on the basis of any technical standards, trade custom or practice, or other circumstances which should in Company's professional experience be taken into account.
- (2.4) Reports of Findings issued after the testing of samples refer the Company's opinion only on samples under testing and not to the lot from which the samples were drawn.
- (2.5) Client agrees that the Company's sole responsibility is to be present at the time of the third party's intervention and to forward the results, or confirm the occurrence of the intervention, in case Client requests the Company to witness any third party's intervention. Client agrees that the Company will use the test methods for analysis as requested in the request form, and if none is stated in the form, the Company will choose the appropriate test methods for analysis.
- (2.6) The Reports of Findings issued by the Company will reflect the facts as recorded by it at the time of its intervention only and within the limits of the instructions received or, in the absence of such instructions, within the limits of the alternative parameters applied as provided for in Clause 2.1. The Company is under no obligation to refer to, or report upon, any facts or circumstances, which are outside the specific instructions received or alternative parameters applied.
- (2.7) The performance of all or part of the services may be delegated to an agent or subcontractor by the Company. The Client authorizes the Company to disclose all information necessary for such performance to the agent or subcontractor.
- (2.8) Documents reflecting engagements contracted between the Client and third parties or third party documents, e.g. sales contract copies, letters of credit, bills of lading, etc. should be made available to the Company. These are considered to be for information only, and do not extend or restrict the scope of the services or the obligations accepted by the Company.
- (2.9) The Company agrees that, by providing the services to the Client, it neither takes the place of Client or any third party, nor otherwise assumes, abridges, abrogates or undertakes to discharge any duty of the Client to any third party or that of any third party to the Client. Also, it does not release the Client or any third party from any of their obligations.
- (2.10) Depending on the nature of each sample, all samples given to the Company shall be retained for a maximum of 3 months or for such other shorter time period as the nature of the sample permits, and then sent back to Client or otherwise disposed of at the Company's discretion. After that time the Company will not be responsible for the samples. Storage of samples for more than 3 months shall incur a storage fee payable by the Client. If samples are returned to the Client, the Client will be billed a handling and freight fees. Special disposal charges will be billed to the Client if incurred.

3. Client's Obligations

- The Client shall:
- ensure that all required supporting documents, information and instructions as submitted are accurate, truthful and complete. These information are to be submitted in a timely manner not later than 2 working days from the date of which the services are requested by the Client
 - ensure to give all necessary access for the Company's representatives to the premises where the services are to be performed and to take all necessary steps to eliminate or remedy any obstacles to, or interruptions in the performance of the services;
 - make available any special equipment and personnel necessary for the performance of the services, if required;
 - ensure that for the safety and security of working conditions, sites and installations, all necessary measures are taken during the performance of services. In this respect, the Client will not rely on the Company's advice whether required or not;
 - inform the Company of any known hazards or dangers, actual or potential, associated with any order, samples, testing or any other service rendered by the Company well in advance. Those are, but are not limited to the presence or risk of radiation, environmental pollution or poisons-toxic or noxious or explosive elements or materials;
 - fully exercise all its rights and discharge all its liabilities under any relevant sales or other contract with a third party.

4. Fees and Payment

- All Fees not agreed on between the Company and Client at the time the order is placed or a contract is concluded shall be determined by the Company's Schedule of Fees (which are subject to change). All applicable taxes shall be paid by Client, as far as mandatory laws do not provide otherwise.
- Unless a specific period is established in the invoice, the Client shall pay upon receiving the invoice, but not later than 30 days from the relevant invoice date or within such other period as may be established by the Company in the invoice (the "Due Date").
- The Client shall not be entitled to retain or defer due payment of any sums to the Company on account of any dispute, counter claim or set-off against the Company. The Company reserves the right to retain or defer any due payments if any dispute arises with or it raises any counterclaim against the Client. The Company is entitled to set off due payments against payments of the Client.

- For the collection of unpaid fees, the Company may decide to bring action in any court with competent jurisdiction. The corresponding collection costs, including attorney's fees and related costs, shall be borne by the Client, as far as the mandatory local law does not provide otherwise.
- In case of any unforeseen problems or expenses arise while carrying out the services, the Company informs the Client. In such cases, the Company shall be entitled to charge additional fees to cover extra time and to invoice extra costs necessarily incurred to complete the services.
- If the Company is unable to perform all or parts of the services for any cause whatsoever beyond the Company's control, including the failure by Client to comply with any of its obligations provided for in the foregoing Clause 3, the Company shall nevertheless be entitled to payments of:
 - The amount of all non-refundable expenses incurred by the Company; and
 - A proportion of the agreed fee equal to the proportion of the services actually carried out.

5. Suspension or Termination of Services

In any case mentioned below, the Company shall be entitled to either suspend or terminate the provision of the services immediately and without any liability:

- Failure by the Client to comply with any of its obligations under these General Terms and Conditions and such failure is not remedied within 10 days after a notice of such failure has been delivered to the Client; or
- Any suspension of payment, arrangement with creditors, bankruptcy, insolvency, receivership or cessation of business by Client.

6. Liability and Indemnification

- (6.1) Limitation of Liability.
- Clients seeking a guarantee against loss or damage should obtain appropriate insurance. The Company is neither an insurer nor a guarantor and disclaims all liability in such capacity.
 - Reports of Findings are issued on the basis of the information, documents and/or samples provided by, or on behalf of the Client and solely for the benefit of the Client who is obliged to act on the basis of such Reports of Findings. Neither the Company nor any of its staff, agents or subcontractors shall be liable to the Client nor to any third party for any actions taken or not taken on the basis of such Reports of Findings, or for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to the Company.
 - For any delayed, total or partial non-performance of the services arising directly or indirectly from any event beyond the Company's control, including failure by Client to comply with any of its obligations hereunder, the Company shall not be liable.
 - The liability of the Company in respect of any claim for loss, damage or expense of any nature and howsoever arising shall in no circumstances exceed a total aggregate sum equal to 10 times the amount of the fee paid in respect of the specific service which gives rise to such claim, and shall in any case not exceed the equivalent of 25,000 EUR in CNY.
 - For any indirect or consequential loss (including loss of profits), the Company shall not have any liabilities.
 - In case of any claim, the Client must give written notice to the Company within 30 days of discovery of the facts with all necessary documents to justify such claim. In any case, the Company shall be discharged from all liability for all claims for loss, damage or expense unless a lawsuit is brought within two years from:
 - the performance date of the Company for its services which refers to the claim; or
 - the date when the service should have been completed in the event of any alleged non-performance.
- (6.2) Indemnification. Against all claims (actual or threatened) by any third party for loss, damage or expenses of whatsoever nature including all legal expenses and related costs and howsoever arising relating to the performance, purported performance or non-performance of any services, the Client shall guarantee, hold harmless and indemnify the Company and its officers, employees, agents or subcontractors.

7. Obligation of Confidentiality, Copyright, Data Privacy Protection

- The Company shall be authorized to make file copies of written documents, which have been made available to it for review and which are important for processing the order.
- Insofar as Reports of Findings are prepared in the course of processing the order and which are subject to the protection of copyright, then the Company shall grant the Client a simple, non-transferable right to use, insofar as this is necessary and in accordance with the contractually presupposed purpose. Other rights shall not be transferred; in particular, the customer shall not be entitled to modify and/or edit audit reports or to make use of such outside of his business premises.
- The Company and its staff which may be called in shall not disclose or use trade and business matters about which they have gained knowledge during the performance of their work without proper authorization, or unless instructed by a court or authorized body (e.g. regulatory authority, accreditation body or certification scheme owner) or otherwise legally required.

8. Miscellaneous

- The validity, legality and enforceability of the remaining provisions shall not in any way be affected or impaired, even if any one or more provisions of these General Conditions are found to be illegal or unenforceable in any respect.
- Client shall not directly or indirectly entice, encourage or make any offer to Company's employees to leave their employment with the Company, during the course of providing the services and for a period of one year thereafter.
- Use of the Company's corporate name or registered marks for advertising purposes is not permitted without the Company's prior written authorization.

9. Governing Law, Jurisdiction and Dispute Settlement

- Unless specifically agreed otherwise, all disputes arising out of or in connection with contractual relationship(s) hereunder shall be governed by the applicable laws and regulations of the People's Republic of China.
- Place of performance for any obligation arising out of this contract shall be Shanghai, the Place of the TÜV SÜD Certification and Testing (China) Co., Ltd., Shanghai branch, unless otherwise expressly agreed by the parties.

10. Languages

In the event of any discrepancy between the English and the Chinese version of these General Terms and Conditions, the English version shall prevail.