

MATERIAL SAFETY DATA SHEET

Section1-Chemical Product &Company Identification

Product Identification: Lithium ion Rechargeable Battery

Issued Date:2023/1/03

Manufacturer:

Gallopwire Technology Inc.(Kunshan).

Room No. 8, 925 Huayuan Road, Zhangpu Town, Kunshan City, Jiangsu Province, China

Tel: 0512-57339398

Emergency Tel: +86-15050230833

E-mail: jianjun.qiu@glwtek.com

Section2-Hazards Identification

Hazard Description: Not dangerous with normal use, open or shred the battery ingredients contained within or their ingredients products could be harmful

Primary Route of Exposure: Inhalation, Ingestion, Skin contact and Eye contact

Potential Health Effects: No effect under routine handling and use.

Section 3-Composition/Information on Ingredients

A. Lithium Ion battery Matrix

1. Lithium Ion Cell Composition:

Manufacture	Type	Capacity (mAh)	Cell Weight(g)
LGES	INR18650MJ1	3500	45

2. Chemical Name:

Chemical Name	Molecular formula	CAS No	Weight percentage(%)
Aluminum Foil	-----	7429-90-5	2-10
Nickel compound (proprietary)	-----	1313-99-1	0-80
Manganese compound (proprietary)	-----	1313-13-9	0-15
Cobalt compound (proprietary)	-----	1307-96-6	0-15
Styrene-Butadiene-Rubber	-----	9003-55-3	<1

Polyvinylidene Fluoride (PVDF)	-----	24937-79-9	<5
Copper Foil	-----	7440-50-8	2-10
Carbon (proprietary)	-----	7440-44-0	10-30
Electrolyte (proprietary)	-----	96-49-1	10-20
Stainless steel and Nickel and inert materials	-----	NA	Remainder

B. Battery Product Matrix:

1.Customer Name: BOSE

2. Battery Pack Information:

Customer P/N	Battery Name	Nominal Voltage	Pack Weight(g)	Typical capacity
787404-0020	084695	3.635V	53.4	3200mAh/11.632 Wh

Section 4-First Aid Measures

Ingestion: If swallowed. Obtain medical attention immediately.

Inhalation: Leave area immediately and seek medical attention.

Eye Contact: Rinse eyes with water for 15 minutes and seek medical attention.

Skin Contact: Wash area thoroughly with soap and water and seek medical attention.

Ingestion: Drink milk/water and induce vomiting; seek medical attention

Section 5-Fire Fighting Measures

Characteristics of Hazard: Toxic fumes, gases or vapors may evolve on burning

Hazardous Combustion Products: Carbon monoxide, carbon dioxide, lithium oxide fumes and so on

Fire-extinguishing Methods and Extinguishing Media: Please use water, dry sand and other proper fire extinguishing media

Attention in Fire-extinguishing: The firemen should put on antigas masks and full fire-fighting suits

Section 6-Accidental Release Measures

On Land: Place material into suitable containers and call local fire/police department.

In water: If possible. Remove from water and call local fire/police department

Section 7-Handling and Storage

Handling: No special protective clothing required for handling individual cells.

Storage: Store in a cool, dry place.

Section 8-Exposure Controls / Personal Protection

Engineering Controls: Keep away from heat and open flame. Store in a cool and dry place.

Personal Protection :

Respirator: Not required during normal operations. SCBA required in the event of a fire.

Eye/Face Protection: Not required beyond safety practices of employer.

Gloves: Not required for handling of battery

Foot Protection: Steel toed shoes recommended for large container handling.

Section 9-Physical and Chemical Properties

State	solid
Odor	N/A
PH	N/A
Vapor pressure	N/A
Vapor density	N/A
Boiling point	N/A
Solubility in water	Insoluble
Specific gravity	N/A
Density	N/A

Section 10-Stability and Reactivity

Reactivity: None

Incompatibilities: None during normal operation. Avoid exposure to heat, open flame, and corrosives.

Conditions To Avoid: Avoid exposure to heat and open flame. Do not puncture, crush or incinerate.

Section 11-Toxicological Information

This product does not elicit toxicological properties during routine handling and use.

Section 12-Ecological Information

Lead and its compounds can pose a threat if released to environment. See waste disposal method in 13. Disposal Considerations.

Section 13-Disposal Considerations

Waste Disposal Method: This battery is recyclable. It is illegal to dispose of lead-acid batteries by any means other than recycling.

Battery electrolyte (acid): Neutralize as above for a spill, collect residue, and place in drum or suitable container. Dispose of as hazardous waste. Do not flush leadcontaminated acid to sewer.

Batteries: Send to lead smelter for reclamation following applicable Federal, state and local regulations. Product can be recycled along with batteries

Section 14-Transport Information

This report applies to by sea, by air and by land

The Rechargeable Li-ion Battery tested according to the requirements of the UNITED NATIONS "Manual of Tests and Criteria" Part III, subsection 38.3

The Rechargeable Li-ion Battery was protected so as to prevent short circuits, This includes protection against contact with conductive materials within the same packaging that could lead to short circuit

The Rechargeable Li-ion Battery can be shipped by air in according to Section IB of PACKING INSTRUCTION 965, or Section II of PACKING INSTRUCTION 966~967 of the 2023 IATA Dangerous Goods regulations 64rd Edition

With regard to transport, the following regulations are cited and considered:

1. The International Civil Aviation Organization(ICAO) Technical Instructions
2. The International Air transport Association(IATA) Dangerous Goods Regulations
3. UN number of lithium battery: UN3480 or UN3481
4. UN Proper shipping name/Description(technical name):Lithium ion batteries or Lithium ion batteries, contained in equipment or Lithium ion batteries packed with equipment
5. UN Classification(Transport hazard class):Class 9(PI965 Section IB) or N/A (PI965~967 Section II)

The International Maritime Dangerous Goods(IMDG) Code

1. UN number of lithium battery: UN3480 or UN3481
2. UN Proper shipping name/Description(technical name):Lithium ion batteries or Lithium ion batteries, contained in equipment or Lithium ion batteries packed with equipment
3. UN Classification(Transport hazard class):N/A
4. Marine pollutant(Y/N):N
5. The battery is not restricted according to IMO IMDG Code(inc Amdt 40-20)
6. Need to meet the Special Provision: International maritime dangerous goods code (IMDG)188,230,348,384

EmS No. :F-A,S-I

Section 15-Regulatory Information

1. 《Dangerous Goods Regulations》
2. 《Recommendations on the Transport of Dangerous Goods Model Regulations》
3. 《International Maritime Dangerous Goods》

4. 《Technical Instructions for the Safe Transport of Dangerous Goods》
5. 《Classification and code of dangerous goods》
6. 《Occupational Safety and Health Act》 (OSHA)
7. TSCA/CPSA/FEPCA/OPA/SARA/RCRA/CWA/REACH/(2006/66/EC,2013/56/EU).....

Section 16-UN Test Result

There is no hazards in accordance with the UN recommendations tests (Manual of Test sand Criteria, Part III, sub-section 38.3)

No	Items	Result	Remark
1	Altitude Simulation	Pass	
2	Thermal Shock	Pass	
3	Vibration	Pass	
4	Shock	Pass	
5	External Short	Pass	
6	Impact	Pass	
7	Overcharge	Pass	
8	Forced Discharge	N/A	For cell only